

USDA-FOREST SERVICE

Index

File No. V-19

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No. Sec 26

Cor.

No. S 1/4

T 3S R. 32E

R.D. Ukiah

County Umatilla

Merid. Willamette

N.F. Umatilla

State Oregon

CORNER DIAGRAM

T3S R32E

S26

1/4 S35



DESCRIBE CORNER MONUMENT FOUND

Found 23" x 16" x 3" granite stone marked 1/4 on North face (had fallen over) there were undisturbed stumps all around corner stone.

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

None set originally

PHOTO IDENTIFICATION DATA

Photo No. 616140 680-287

Filed At Umatilla Nat. Forest

Object Ident. Stone & Tree

Ident. By _____

Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

Road #54 to road #5425, then West on road #5425 to road #020, then West on road #020 approximately 1 3/8 miles then 350 ft. North to corner in granite meadows clear cut.

Signature

Willie R. Wells

Title

PLS 1106

Division

Headquarters

Date

Sept. 19, 1982

7100-52-(3/68)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

Set 2 1/2" brass cap on 2 1/2" x 30" I. pipe 24" in ground, with mound of stone, marked:

Buried stone alongside monument.

Set steel fence posts, w/54-4 sign, on section line near corner.

T3S R32E

3/4 S26

S35

1982

PLS 1106

ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Set reference monuments as follows: (RM's are 3" BC on 2 1/2" x 30" I pipe)

A RM bears S 48 1/2^o E 30.73 ft. dist. marked T3S R32E S35 RM

A RM bears N 10 1/2^o E 26.80 ft dist. marked T3S R32E S26 RM

RM's set 24" in ground with mound of earth to cap and steel fence posts, w/54-4 signs, reference monuments.

Reference monuments were set because no live trees are within limits.

Work Done By W.R. Wells Title Surveyor Date 9/29/82 State Registration No. PLS 1106
or Agency

Certified Cor. Record Prepared? Yes No Filed At: Umatilla County Surveyor Date

REMARKS

Witnessed by: Leslie E. Wilson

Index File No.

V-19

T.

3S

R.

32E

M.

W.M.

Tract or Surv. No.

S26

Cor.

S 1/4

USDA-FOREST SERVICE


Index
File No. Y-19

CORNER RECORD (SEARCH)
(Ref. FSM 7151.4)

Tract or
Survey No. _____ Cor.
No. _____

T 3 S R. 32 E R.D. Ukiah County Umatilla
Merid. Will. N.F. Umatilla State Oregon

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

None

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

None. There is NE-SW fence approx. where $\frac{1}{4}$ cor. would be. Area has been clear-cut and stone, if found, not likely to be in original position.

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency

Signature

B. Moore

Title

Division

Headquarters

Date

5-77

7100-52-(3/68)

5

CORNER RECORD (PERPETUATION)

GPO 902-673

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

9

ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

10

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared ? Yes No Filed At: _____ Date _____

11

REMARKS

12

Index File No. T. R. M. Tract or Surv. No. Cor. _____

13