

Field Notes of the Survey of the Subdivisional Lines of
 Township 1 North, Range 35 East Willamette Meridian, Oregon,
 As surveyed by Jas. P. Currin & Jas. E. Noland, under their
 Contract dated May 4th, 1887.

Chains

Preliminary to commencing this survey, I find my compass
 to be correct and will run the same line as the base.
 Survey commenced with Gurley improved solar compass.
 Commencing at cor. to secs. 33 & 34, T.1 N., R. 35 E.
 and secs. 3 & 4, T. 1 S., R. 35 E.,
 I run North on true line between secs. 33 & 34.
 Var. 18°30' East.

22.50 Leave timber and enter prairie.

31.00 Leave prairie and enter timber E & W.

40.00 Set post 3 ft. long, 3 ins. square, 24 ins. in the ground
 for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S. on W. face, from which
 A Black Pine, 12 ins. in diam. bears N70°E. 32 lks
 dist., marked $\frac{1}{4}$ S. B.T.
 A Black Pine, 14 ins. in diam. bears N40°W. 12 lks.
 dist., marked $\frac{1}{4}$ S. B. T.

45.30 Creek, 20 lks. wide, N.W.

77.25 Wagon Road E & W.
 Ascend.

80.00 Set post 4 ft. long, 4 ins. square, 24 ins. in the ground
 for cor. to secs. 27, 28, 33 & 34, marked T1N, S.27 on
 N.E.; R35 E.S.34 on S.E.; S.33 on S.W. and S.28 on N.W.
 faces, with 1 notch on S. and 3 notches on E. edges,
 from which
 A Pine, 18 ins. in diam. bears N50°E. 32 lks. dist.,
 marked T.1, N.R.35 E. S27 B.T.
 A Pine, 14 ins. in diam. bears S.62°E. 16 lks. dist.,
 marked T.1 N.R.35 E.S34 B.T.
 A Pine, 10 ins. in diam. bears S28°W 37 lks. dist., marked
 T.1N.R.35E.S.33 B.T.
 A Pine, 14 ins. in diam. bears N35°W. 21 lks. dist.,
 marked T1 N.R. 35 E.S28 B.T.

Land, rolling, covered with dense underbrush consisting
 of Pine, Fir & Spruce..
 Scattering timber same.
 Soil, rich. Grass, good.