

Subdivisions of T. 1 N., R. 36 E.

Chains 40.20	<p>Set a basalt stone, 18x10x8 ins., 12 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face, from which, A fir, 20 ins. diam., bears S.50°E., 309 lks. dist., marked $\frac{1}{4}$ S B T.</p> <p>No other tree within limits.</p> <p>and raised a mound of stone alongside.</p>
80.40	<p>The cor. to secs. 26, 27, 33 and 34.</p> <p>Land, mountainous.</p> <p>Soil, sandy loam and stony, 2nd and 3rd rate.</p> <p>Timber, scattering fir, pine and tamarack.</p>
<p>North between secs. 27 and 28.</p> <p style="text-align: right;">Var. 21$\frac{1}{4}$°E.</p>	
19.50	<p>Ascend about 200 ft. to Top of ridge, course E.</p>
40.00	<p>Set a basalt stone, 16x9x6 ins., 11 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face, and raised a mound of stone alongside.</p>
54.50	<p>Bottom of gulch, about 250 ft. below ridge, course E.</p>
60.00	<p>Top of ridge about 75 ft. above gulch, course E.</p>
75.00	<p>Foot of hill about 150 ft. below ridge, N.W.</p>
78.00	<p>Graded road bed of the Baker City branch of the O. R. and N. Cos. Railway line.</p>
80.00	<p>Set a basalt stone, 20x12x8 ins., 15 ins. in the ground, for cor. to secs. 21, 22, 27 and 28 marked with 2 notches on S. and 3 notches on E. edges, from which,</p> <p>A fir, 18 ins. diam., bears N.45°E., 37 lks. dist., marked T 1 N R 36 E S 22 B T.</p> <p>A fir, 28 ins. diam., bears S.85°E., 72 lks. dist., marked T 1 N R 36 E S 27 B T.</p> <p>No other tree within limits.</p> <p>and raised a mound of stone alongside.</p>
	<p>Land, mountainous.</p> <p>Soil, stony, 3rd rate.</p> <p>Timber, scattering pine, fir and tamarack.</p>
	<p>September 16, 1882.</p>