

## Resurvey Portion N. Bdy. T.2 S., R. 34 E., W.M.

Chains		Feet
	<p>No other tree available; raise mound of stone, 2 ft. base, <math>1\frac{1}{2}</math> ft. high, S. of Cor.</p> <p>Land; mountainous.</p> <p>Soil; rocky, 3rd rate.</p> <p>Timber; scattering pine.</p> <p>Undergrowth; small pine.</p>	
	<p>N.88°46' E., resurveying the N. Bdy. of Sec. 2 Over mountainous land, through scattering timber.</p>	
1.68	<p>Intersect old Cor. of Secs. 2, 3, 34 &amp; 35, which is a basalt stone, firmly set, marked and witnessed as described by the Surveyor General. I change this Cor. to refer to Secs. 34 &amp; 35 only; from which,</p> <p>A pine, 24 ins. diam., brs. N.42°30' E., 224 lks. dist marked T.1 S., R.34 E., S.35, B.T. (New B.T.)</p> <p>A pine, 24 ins. diam., brs. N.30° W., 263 lks. dist., marked T.1 S., R.34 E., S.34, B.T. (New B.T.)</p>	
	<p>Thence</p> <p>S.89° 07' E., continuing my measurements.</p> <p>Descend steep broken N.E. slope, 1000 ft. to</p>	
26.40	<p>Little Johnson Creek, 5 lks. wide, course N.W.; ascend 500 ft. to <math>\frac{1}{4}</math> Cor.</p>	
31.70	<p>Leave the timber, brs. N.W. &amp; S.E.</p>	
40.00	<p>Set iron post, 3 ft. long, 1 in. diam., 26 ins. in ground for <math>\frac{1}{4}</math> Cor. of Sec. 2 only, with brass cap marked,</p>	
	<p style="text-align: center;"><u>132</u> 1917</p>	
	<p>and raise mound of stone, 2 ft. base, <math>1\frac{1}{2}</math> ft. high, S. of Cor.</p> <p>Ascend 42 ft. to</p>	
41.42	<p>Intersect old <math>\frac{1}{4}</math> Sec. Cor., as identified by an old mound of stone; at center of this mound,</p> <p>Set basalt stone, 20 x 8 x 5 ins., 15 ins. in ground, for <math>\frac{1}{4}</math> Cor. of Sec. 35 only, marked <math>\frac{1}{4}</math> S.35 on N. face; Raise mound of stone, 3 ft. base, 2 ft. high, N. of Cor.</p>	
	<p>Thence</p>	