

Subdivisional Lines, T. 1 S., R.36 E., W.M.

Chains		Feet
	marked $\frac{1}{4}$ S., B.T.	
80.80	The Cor. to Secs. 10, 11, 14 & 15. Land; mountainous. Soil; sandy loam & stony, 2nd & 3rd rate. Timber; scattering pine, fir and tamarack.	
	N. bet. Secs. 10 & 11. Var. $20\frac{1}{2}^{\circ}$ E. Descend along steep side hill.	
40.000	Set basalt stone, 20 x 10 x 3 ins., 15 ins. in ground for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face, and raised mound of stone alongside.	
80.00	Set basalt stone, 14 x 12 x 4 ins., 9 ins. in ground, for Cor. to Secs. 2, 3, 10 & 11, marked with 5 notches on S. and 2 notches on E. edges, and raised mound of stone alongside. Land; mountainous. Soil; stony, 3rd rate. Timber; scattering fir and pine.	
	E. on random line bet. Secs. 2 & 11. Var. 18° E. Descend about 75 ft.	
10.75	Intersect graded track of the Baker City branch of the O.R. & N. Cos. Railway Line, course $S.30^{\circ}$ E.	
11.00	Wagon road, course N.W.	
11.50	Meacham creek, 75 lks. wide, runs N.	
16.00	Ascend hill.	
40.00	Set temp. $\frac{1}{4}$ Sec., Cor.	
73.00	Top of mountain, about 1000 ft. above Meacham creek & enter timber, course N. & S.	
80.70	Intersect, 15 lks. S. of the Cor. to Secs. 1, 2, 11 & 12. Thence I run $S.89^{\circ}54'$ W. on a true line bet. Secs. 2 & 11.	
40.39	Set basalt stone, 15 x 9 x 7 ins., 10 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face, and raised mound of stone	