

## Subdivisional Lines, T.1 S., R.37 E., W.M.

Chains	Feet
	<p>marked S.28,B.T.</p> <p>A pine, 5 ins. diam., brs. S.30°W.,19 lks. dist., marked S.29,B.T.</p> <p>A fir, 20 ins. diam., brs. N.60°W.,25 lks. dist., marked R.37 E.,S.20,B.T.</p> <p>Land; hilly.</p> <p>Soil; 2nd rate.</p> <p>Heavily timbered with pine, fir and tamarack.</p> <p>Dense pine and fir undergrowth.</p>
*****	
	<p>N. bet. Secs. 20 &amp; 21.</p> <p style="text-align: right;">Var. 20°30'E.</p> <p>12.00 Ravine, course W., 100 ft. below Sec. Cor.</p> <p>23.75 Head of ravine, course W.</p> <p>39.00 Head of ravine, course W. Ascend.</p> <p>40.00 Set basalt stone, 16 x 9 x 7 ins., 11 ins. in ground for <math>\frac{1}{4}</math> Sec. Cor., marked <math>\frac{1}{4}</math> on W. face, from which; A pine, 12 ins. diam., brs. S.54°W.,76 lks. dist., marked <math>\frac{1}{4}</math> S.,B.T. A pine, 4 ins. diam., brs. S.72°E.,82 lks. dist., marked <math>\frac{1}{4}</math> S.,B.T.</p> <p>60.00 Top of ridge brs. N.W. &amp; S.E., 300 ft. above <math>\frac{1}{4}</math> Sec. Cor. and descend.</p> <p>80.00 Set basalt stone, 14 x 8 x 6 ins., 9 ins. in ground for Cor. to Secs. 16, 17, 20 &amp; 21, marked with 3 notches on S. and 4 " " E. edges, 200 ft. below top of ridge, from which; A fir, 8 ins. diam., brs. N.17°W.,24 lks. dist., marked R.37 E.,S.17,B.T. A pine, 24 ins. diam., brs. N.43°E.,14 lks. dist., marked T.1 S.,S.16,B.T. A pine, 30 ins. diam., brs. S.67°E.,42 lks. dist., marked S.21,B.T. A fir, 9 ins. diam., brs. S.15°W.,72 lks. dist.,</p>