

Subdivisions, T. 2 N., R. 36 E.

Chains	
	From the cor, to secs. 4, 5, 32 & 33 on the S. boundary, which is a basalt stone 16 x 12 x 6 ins., 11 ins. in the ground, marked with 4 notches on E. and 2 notches on W. edges, with mound of stone alongside.
	I. run,
	North bet. secs. 32 & 33.
	Var. 21° East.
	Ascend about 100 feet to
12.00	Top of ridge, course S.W.
28.50	Bottom of gulch, about 200 ft. below ridge, course S.W.
40.00	Set a basalt stone 12 x 12 x 4 ins., 8 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on W. face and raised a mound of stone alongside.
49.50	Top of ridge, about 200 ft. above gulch, course S.W.
65.00	Bottom of gulch, about 250 feet below ridge, course S.W.
80.00	A point about 150 ft. above gulch; set a basalt stone 17x 12 x 5 ins., 11 ins. in the ground for cor. to secs. 28, 29, 32 & 33, marked with 1 notch on S. and 4 notches on E. edges, and raised a mound of stone alongside.
	Land, mountainous.
	Soil, sandy loam, 2nd rate.
	Timber, scattering fir and pine.
	East on a random line bet. secs. 28 & 33.
	Var. 17 $\frac{1}{2}$ ° East.
	Ascend.
40.00	Set temporary $\frac{1}{4}$ sec. cor.
65.00	Summit of ridge, about 1000 ft. above sec. cor.; course N.
80.16	Intersect 30 lks. S. of the cor. to secs. 27, 28, 33 & 34.
	Thence, I run
	S. 89° 47' W. on a true line bet. secs. 28 & 33.
40.08	Set a basalt stone 19 x 13 x 8 ins., 14 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face, and raised a mound of stone alongside.
80.16	The cor. to secs. 28, 29, 32 & 33. Land, mountainous, Soil, 2nd rate. Timber, scattering fir, pine.