

Resurvey of East Bdy. of T. 2 N., R. 37 E.

Chains 80.00	<p>Set basalt stone, 15x12x8 ins., 15 ins. in the ground, for cor. of secs. 13 and 24, marked with 3 notches on N. and S. edges, from which,</p> <p>A fir, 24 ins. diam., bears S.83°W., 27 lks. dist., marked T 2 N R 37 E S 24 B T.</p> <p>A fir, 12 ins. diam., bears N.78°W., 40 lks. dist., marked T 2 N R 37 E S 13 B T.</p> <p>Land, mountainous and rolling.</p> <p>Soil, sandy loam, 2nd rate.</p> <p>Timber, pine, fir and tamarack.</p> <p>Undergrowth, mountain laurel, huckleberry and small firs.</p> <p>Mountainous or heavily timbered land, 80.00 chs.</p> <p style="text-align: right;">July 9, 1901.</p>
3.00	<p>N.0°20'E. on old township line between secs. 13 and 18. Ascend through heavy timber along S. slope of ridge.</p> <p>Enter scattering timber, bears E. and W.</p> <p>Over rolling ground.</p>
18.30	<p>Creek, 2 lks. wide, in ravine, 100 ft. deep, course S.E.</p> <p>Enter heavy timber and scattering undergrowth, bears N.W., S.E.</p>
30.00	<p>Leave heavy timber and undergrowth and pass through scattering pine forest bears E. and W.</p>
38.64	<p>Intersect old $\frac{1}{4}$ sec. cor., which is a post, marked and witnessed as described by the surveyor general. I destroy all marks on old cor. pertaining to the survey W.</p> <p>Thence I run</p> <p>N.0° 15'W.</p>
40.00	<p>The point for $\frac{1}{4}$ sec. cor. falls on a ledge, 10x8x3 ft. above ground, I mark a cross at the exact cor. point for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. side of cross, from which,</p> <p>A fir, 18 ins. diam., bears S.43°W., 54 lks. dist., marked $\frac{1}{4}$ S 13 B T.</p> <p>This cor. stands about 200 ft. above creek.</p>