

Subdivisions of T. 2 N. R. E. W. M.

Chains N. 0° 03' W. on random line bet. Secs. 3 and 4.

40.00 Set temp. $\frac{1}{4}$ Sec. cor.

74.38 Intersect N. bdy. of T. 6.18 chs. E. of $\frac{1}{4}$ Sec. cor.
 which is a basalt stone, 5x10x6 ins. above ground,
 marked $\frac{1}{4}$ on N. face. Mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high
 N. of cor. at point of intersection.

Set ironstone, 15x12x4 ins., 10 ins. in the ground for
 closing cor. of Secs., 3 and 4, marked C C on S. face;
 with 3 grooves on E. and W. faces, from which

A fir, 10 ins. diam., bears S. 15° E., 90 lks.
 dist., marked T 2 N R 37 E., S 3 B T.

A fir, 14 ins. diam., bears S. 20° W., 55 lks.
 dist., marked T 2 N R 37 E., S 4 B T.

Thence I run S. 0° 03' on true line bet. Secs. 3 and 4.
 Ascend steep N. slope through scattering timber and
 undergrowth.

2.75 Ridge point, 50 ft. above closing cor. bears N. E. S. W.
 Leave timber and undergrowth bears E. and S.
 Descend steep S. slope of mountain.

21.50 Enter scattering timber, bears E. and W.

34.38 Set basalt stone, 15x14x5 ins., 10 ins. in the ground, for
 $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ on W. face. Raise mound of stone,
 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor. Pits impracticable.

60.25 Spring branch, 3 lks. wide, course S. 30° W.

68.00 Leave timber and undergrowth, bears E. and W.

74.38 The cor. of Secs. 3, 4, 9 and 10.
 Land, mountainous.
 Soil, sandy and stony, 2nd and 3rd rate.
 Timber, pine, fir, tamarack and spruce.
 Undergrowth, small firs, laurel and huckleberry.
 Mountainous land, 74.38 chs.

July 30, 1901.