

## Subdivisional Lines, T.2 S., R.34 E., W.M.

Chains		Feet
	Thence	
	N.89°46' W. on true line.	
	Var. 22°E.	
99.50	Branch, 10 lks. wide, in canyon, N.	-1800
10.00	Sharp ridge or divide.	+ 100
12.00	Brook, 5 lks. wide. Ascend bluff, facing E.	-100
	Ascend	+ 100
40.20	Set post, 3 ft. long, 3 ins. sq., 24 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on N. face, from which, A pine, 5 ins. diam., brs. N.80°E., 14 lks. dist., marked $\frac{1}{4}$ S., B.T. A tamarack, 6 ins. diam., brs. S.75°E., 12 lks. dist., marked $\frac{1}{4}$ S., B.T.	
62.00	Top of mountain, N.	+1800
80.40	To Cor. to Secs. 22, 23, 26 & 27. Land; extremely rough and mountainous, 80.40 chs. Pine, fir and tamarack timber and brush. Soil; 2nd rate, rocky.	
	N. on true line bet. Secs. 22 & 23.	
	Var. 22°E.	
10.00	Gulch, W.	- 10
40.00	Set basalt stone, 10 x 12 x 18 ins.;, 10 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on W. face, from which, A pine, 12 ins. diam., brs. S.22°E., 72 lks. dist., marked $\frac{1}{4}$ S., B.T. A pine, 8 ins. diam., brs. N.15°W., 36 lks. dist., marked $\frac{1}{4}$ S., B.T.	
44.50	Top of ridge and bluff, N.E.	+100
49.50	Gulch or canyon, E.	-100
67.00	" " " "	- 50
70.00	Ridge, E. and descend.	+100
80.00	Set post, 4 ft. long, 4 ins. sq., 24 ins. in ground, for Cor. to Secs. 14, 15, 22 & 23, marked, T.2 S., S.14 on N.E.	