

Subdivisional Lines of Township 3 North, Range 36 E. W. M.

Chains		
40.00	Set temp. $\frac{1}{4}$ sec. cor. and at	Va. $20\frac{1}{4}^{\circ}$ East.
80.00	Intersect N. and S. line 20 lks. S. of cor. to Secs. 28, 29, 32 and 33. Thence S. $89^{\circ}51'$ W. on true line.	
11.30	Canon, NW.	-100
19.30	Summit of ridge, NW.	+200
39.00	Spring branch in gulch	-75
40.00	Set post 3 ft. long, 3 ins. square, 24 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S on N. face, from which A tamarack, 8 ins. diam. bears S. $45^{\circ}$ E., 6 lks. dist. A fir, 4 ins. diam. bears N. $30^{\circ}$ W. 50 lks. dist., marked $\frac{1}{4}$ S B T.	
56.00	Canon and spring branch, SW.	
64.00	Summit of ridge, SW. Descend.	+75
80.00	Cor. to Secs. 29, 30, 31 and 32. Land, broken and mountainous, 80 chs. covered with pine and fir, timber and brush. Soil, 3rd rate & rocky.	
<hr/>		
	West on ran. bet. Secs. 30 and 31.	
		Va. $20\frac{1}{4}^{\circ}$ East.
40.00	Set temporary $\frac{1}{4}$ sec. cor. and at	
79.60	Intersect W. bdy. 80 lks. N. of cor. to Secs. 25 and 36 and 30 and 31. Thence N. $89^{\circ}26'$ East on true line.	
		Va. $21^{\circ}$ East.
12.35	Canon, S.	-50
27.60	Canon S.	-100
38.00	Umatilla river, SW. 100 lks. wide.	
39.60	Set basalt stone 12x10x8 ins. 8 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face, and raised mound of stone, $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base over it.	
47.10	Umatilla river, NW. 100 lks. wide.	-100