

Exteriors, T.3 S., R.30 $\frac{1}{2}$ E., W. M.
 As surveyed by George S. Pershin, U.S. Deputy Surveyor,
 Under Contract No. 332,
 Dated July 29, 1879.

Chains	Feet
	<p>I begin at the Cor. to Tps. 3 & 4 S., Rs. 30 & 30$\frac{1}{2}$ E. and with Burt's Improved Solar Compass, I run E. on random line along S. Bdy. of Secs. 35 & 36, and at 1 mile, 11 chs. & 68 lks. to a point, 156 lks. S. of Cor. to Tp. 3 S., Rs. 30$\frac{1}{2}$ & 31 E., making my correction 136 lks. N. per mile.</p> <p>From the Cor. to Tps. 3 & 4 S., Rs. 30$\frac{1}{2}$ & 31 E., I run S.89°02'W. on true line, on S. Bdy. of Sec. 36.</p>
40.00	<p>A pine, 14 ins. diam., on N. slope for $\frac{1}{4}$ Sec. Cor., from which,</p> <p style="padding-left: 40px;">A pine, 15 ins. diam., brs. N.35°W., 3 lks. dist.</p> <p style="padding-left: 40px;">A pine, 16 ins. diam., brs. S.30°W., 35 lks. dist.</p>
52.00	<p>Leave timber, course N. & S.</p>
80.00	<p>Set basalt stone, 18 x 8 x 5 and marked post, in mound of stone, on W. hillside, for Cor. to Secs. 35, 36, 1 & 2.</p> <p>Land; surface mountainous.</p> <p>Soil; 3rd & 2nd rate.</p> <p>Heavy timber; pine, fir & tamarack on E. 52 chs. W. 28 chs. some scattering groves. Good grass.</p>
11.68	<p>S.89°02'W. on S. Bdy. of Sec. 35.</p> <p style="text-align: right;">Var.21°15'E.</p> <p>The Cor. to Tps. 3 & 4 S., Rs. 30 & 30$\frac{1}{2}$ E.</p> <p>Land; surface broken, soil 3rd rate. Good grass.</p> <p style="text-align: right;">Sept. 3, 1879.</p>
39.50	<p>Subdivisional Lines, T.3 S., R.30$\frac{1}{2}$ E., W. M. As surveyed by the same U.S. Deputy Surveyor, Under the same Contract & date.</p> <p>I begin at the Cor. to Secs. 35 & 36, on S. Bdy. of Tp., I run,</p> <p>N. bet. Secs. 35 & 36.</p> <p style="text-align: right;">Var.21°15'E.</p>
40.00	<p>A ravine, opens N.W.</p> <p>Set basalt stone, 15 x 8 x 7 on S.W. face of ridge for $\frac{1}{4}$ Sec. Cor.</p>