

Subdivisional Lines of T. 3 S., R. 32 E.

Chains		Feet
	W. on a true line bet. Sec. 12 and 13. Var. 20° 30' E	
39.95	Set a basalt stone 15 x 14 x 10 ins. 10 ins. in ground on S. slope for $\frac{1}{4}$ Sec. Cor. Marked $\frac{1}{4}$ on N. face. Mound of stone alongside, A Pine 42 ins. diam. brs. N. 45° E. 168 lks dist. Marked $\frac{1}{4}$ S. B.T. No tree on S. side,	
79.90	The Cor. to Secs. 11, 12, 13 and 14. Land; surface rolling, Soil; 3rd rate, some Pine, Tamarack and Fir timber with open glades. Some young timber undergrowth.	
	N. bet. Sec. 11 and 12 Var. 21° 15' E	
	Level open prairie,	
34.00	Enter timber, course E. & W.	
40.00	A Fir 4 ins. diam. on N.W. slope for $\frac{1}{4}$ Sec. Cor. Marked $\frac{1}{4}$ on W. side, A Fir 5 ins. diam. brs. N. 46° E. 19 lks. dist. Marked $\frac{1}{4}$ S. B.T. A Fir 7 ins. diam. brs. N. 40° W. 18 lks. dist. Marked $\frac{1}{4}$ S. B.T.	
80.00	Set a basalt stone 15 x 8 x 7 ins. 10 ins. in ground on N. slope for Cor. to Secs. 1, 2, 11 & 12. Marked with 5 notches on S. and 1 notch on E. edges from which, A Pine 8 ins. diam. brs. N. 86° E. 78 lks. dist. Marked T. 3 S., R. 32 E., S. 1 B.T. A Tamarack 12 ins. diam. brs. S. 38° E. 19 lks. dist. Marked T. 3 S., R. 32 E., S. 12 B.T. A Pine 6 ins. diam. brs. S. 56° W. 9 lks. dist. Marked T. 3 S., R. 32 E., S 11 B.T. A Tamarack 18 ins. diam. brs. N. 38° W. 31 lks. dist. Marked T. 3 S., R. 32 E., S. 2 B.T.	
	Land; surface S. 34 Chs. nearly level, N. 46 Chs. broken.	