

41.

Subdivisional Lines, T.3 S.,R.33 E.,W. M.

Chains

- 40.00 Set basalt stone, 16 x 10 x 6 ins., in stony ground & piled stone around Cor. & raised mound of stone alongside. Pits impracticable. 600 ft. above Sec. Cor.
- 44.00 Top of ridge brs. N.60°W & S.60°E. Descend.
- 65.00 Intersect S. Bdy. of Tp. 2 S.,R.32 E., 32.06 chs. W. of Cor. to Tps. 2 & 3 S.,R.32 E., which is a post, 4 ins. sq., marked

T.2 S.,S.31 on N.E.

R.33 E.,S.6 on S.E.

T.3 S.,S.1 on S.W. and

S.36 on N.W. faces, with 6

6 notches on each edge, from which,

(I obliterated the marks on N.E. & S.W. faces & changed Sec. 6 to Secs. 5.

A pine, 24 ins. diam., brs. N.30°W., 116 lks. dist., marked S. 36, B.T.

A pine, 24 ins. diam., brs. N.50°E., 79 lks. dist., the marks upon which, I obliterated.

A fir, 10 ins. diam., brs. S.30°E., 175 lks. dist., marked R.33 E., S.6, B.T.

I changed Sec. 6 to Sec. 5 on this bearing tree.

A pine, 20 ins. diam., brs. S.47°W., 213 lks. dist., the marks upon which, I obliterated.

Where set basalt stone, 15 x 10 x 5 ins., 10 ins. in ground for Closing Cor. to Secs. 5 & 6, marked with 5 notches on E. and 1 on W. edges, with C.C. on S. face & raised mound of stone alongside. Pits impracticable.

Land; mountainous.

Soil; 2nd & 3rd rate.

Heavily timbered with pine, & fir timber on S. 35 chs.

Compared compass with meridian obtained by an observation taken on the polaris and find compass to run correctly.

Nov. 29, 1882.