

Subdivisional Lines of T 4 N R 37 E., W.M.

Chains		Feet
	Soil; 3rd and 2nd rate. Timber, heavy in places and some scattering pine, tamarck and fir; a few open glades.	
	<hr/>	
	E. on a random line bet. Secs. 15 & 22 Var. 20° 00' E	
40.00	Set post for temp. $\frac{1}{4}$ Sec. Cor.	
80.12	Intersected N. & S. line, 32 lks. S. of Cor. to Secs. 14, 15, 22 & 23, from which Cor. I run S. 90° 46' W. on a true line bet. Secs. 15 & 22 Var. 19° 15' E.	
6.50	On spur, course N.	
22.00	In gulch, opens N.	
33.00	On spur, course N.	
40.06	Set basalt stone, 24 x 10 x 6 on W. side of spur for $\frac{1}{4}$ Sec. Cor. A pine, 24 ins. diam. brs. N. 48° W., 165 lks. dist. A fir, 16 ins. diam. brs. S. 14° W., 11 lks. dist.	
49.00	Gulch, opens N.	
72.00	On spur, extends N.	
80.12	The cor. to Secs. 15, 16, 21 & 22 Land; surface very broken Soil; 3rd rate. Some heavy timber, mostly scattering fir, tamarack & pine.	
	<hr/>	
	N. bet. Secs. 15 & 16 Var. 20° E.	
4.50	Spring branch, course N.E. Along E. side of spur.	
40.00	Set basalt stone, 20 x 10 x 10 on spur, extending N. for $\frac{1}{4}$ Sec. Cor. A Pine, 30 ins. diam. brs. N. 63° E., 156 lks. dist. A Pine, 5 ins. diam. brs. N. 54° W., 13 lks. dist. Across spurs and ravines.	
80.00	Set basalt stone, 17 x 12 x 8 on W. side of spur for Cor. to secs. 9, 10, 15 & 16.	