Chains		Feet

marked ¼ S B T

    A fir, 12 ins. diam. brs. N. 85° W., 82 lks. dist.
marked ¼ S B T

80.00   Set a basalt stone, 12 x 12 x 10 ins., 8 ins. in ground

for Cor. to Secs. 26, 27, 34 & 35, marked with 1 notch

on S. and 2 notches on E. edges, from which

    A pine, 10 ins. diam. brs. N. 16° E., 116 lks. dist.
marked T 4 N R 38 E S 26 B T

    A fir, 20 ins. diam. brs. S 60° W., 175 lks. dist.
marked T 4 N R 38 E S 34 B T

    A fir, 10 ins. diam. brs. N. 29° W., 85 lks. dist.
marked T 4 N R 38 E S 27 B T

No other trees within limits, and dug a pit in Sec. 35,

18 x 18 x 12 ins., 5½ ft. dist. and raised a mound of

earth alongside.

Land: rolling

Heavily timbered with pine, fir and tamarack. 80. Chs.

Thick undergrowth, pine, fir and greasewood, 80. Chs.

Soil; gravelly, 2nd rate.

N. bet. Secs. 26 & 27

                                    Var. 21° E.

40.00   Set a post, 3½ ft. long, 3 ins. sq., with marked stone,

24 ins. in ground for ¼ Sec. Cor., marked ¼ Sec. on W.

face, from which

    A tamarack, 13 ins. diam. brs. N. 53° W., 17 lks. dist.
marked ¼ S B T

    A tamarack, 12 ins. diam. brs. S. 60° E., 10 lks. dist.
marked ¼ S B T

80.00   A tamarack, 8 ins. diam. which I mark: T 4 N S 23 on N.E.

R 38 E., S 26 on S.E., S. 27 on S.W. and S. 22 on N.W.

faces, with 2 notches on S. and E. edges, for Cor. to

Secs. 22, 23, 26 & 27, from which

    A tamarack, 11 ins. diam. brs. N. 21° E., 10 lks.
dist., marked T 4 N R 38 E S 23 B T

    A tamarack, 12 ins. diam. brs. S. 31° E., 25 lks.
dist. marked T 4 N R 38 E S 26 B T

    A tamarack, 12 ins. diam. brs. S. 25° W., 13 lks.
dist., marked T 4 N R 38 E S 27 B T