

Resurvey of portion of the Subdivisional Lines of T 4 N., R 38 E.

Chains		Feet
	<p>of stone, 2 ft. base and 1 ft. and a half high W. of Cor. From this Cor. a point of rocks, 10 ft. high brs. N. 30° E., 16 lks. dist., I mark with a cross and B O. Therefore the N. half of this line is 38.62 Chs. in length and brs. S. 0° 10' W. I continue the resurvey S. 0° 46' W., along precipitous W. slope.</p>	
44.85	<p>A branch, 3 lks. wide, course W. Begin a steep ascent</p>	
60.00	<p>Top of spur, 100 ft. high, extending W. Descend</p>	
77.50	<p>Foot of descent, 100 ft. below top of spur. Thence ascend</p>	
78.72	<p>Intersect the Cor. for Secs. 19, 24, 25 &amp; 30 Land; mountainous Soil; light, 3rd rate. Timber; fir, pine Undergrowth, alder and willow Mountainous or heavily timbered land or land covered with dense undergrowth and exceptionally difficult to survey.</p>	
	<p>78.72 Chs. <span style="float: right;">July 20, 1905</span></p>	
	<p>Subdivisionals of Fractional T. 4 N., R. 38 E., W.M. As surveyed by the same surveyor, date, and contract.</p>	
	<p>From the Cor. of Secs. 13, 14, 23 &amp; 24, heretofore described, I run</p>	
	<p>N. on a sectional guide meridian bet. Secs. 13 &amp; 14. Ascend through heavy timber and eense undergrowth</p>	
2.40	<p>A spring branch, 1 lks. wide, brs. E.</p>	
30.00	<p>Enter alder thicket, brs. E. and W.</p>	
36.00	<p>Leave alder thicket, brs. E. and W.</p>	
40.00	<p>Set a basalt stone, 12 x 10 x 8 ins., 8 ins. in the ground for <math>\frac{1}{4}</math> Sec. Cor., marked <math>\frac{1}{4}</math> on W. face, from which</p>	
	<p>A fir, 6 ins. diam. brs. N. 20° E., 24 lks. dist. marked <math>\frac{1}{4}</math> S 13 B T</p>	
	<p>A fir, 8 ins. diam. brs. S. 40° W., 15 lks. dist. marked <math>\frac{1}{4}</math> S 14 B T</p>	
80.00	<p>Set a baslat stone, 15 x 10 x 8 ins., 10 ins. in the ground for Cor. of Secs. 11, 12, 13 &amp; 14, marked with 1 notch</p>	