

Dependent Resurvey of Part of Subdivisions of T 4 N., R 38 E.

Chains

Feet

At point for cor.

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., with brass cap marked

$\frac{1}{4}$ S 28
S 33

1939

from which

A dead tamarack, 32 ins. diam., brs. N. 26° W., 50 lks. dist., marked $\frac{1}{4}$ S B T. (Old B.T.)

A dead tamarack, 38 ins. diam., brs. S. 22° E., 52 lks. dist., marked $\frac{1}{4}$ S 28 B T. (New B.T.)

A pine, 12 ins. diam., brs. N. 76° W., 16 lks. dist., marked $\frac{1}{4}$ S 28 B T. (New B.T.)

A spruce, 10 ins. diam., brs. S. 13 $\frac{1}{2}$ ° E., 25 lks. dist., marked $\frac{1}{4}$ S 33 B T. (New B.T.)

Thence

S. 89° 45' W., continuing measurements.

Asc. 154 ft. over gradual NE. slope.

64.00 Target Meadow Road, brs. N. 10° E. and S. 10° W.

74.00 Top of ascent, brs. N. and S.; along gradual N. slope.

80.93 The cor. of secs. 28, 29, 32 & 33, heretofore described.

Land; rolling and mountainous.

Soil; sandy loam; 2nd rate.

Timber, fir, pine, spruce, and tamarack.

Undergrowth, alder, willow, vinemapple, huckleberry, and fern.

N. 0° 41' W., bet. Secs. 28 & 29.

Desc. 122 ft. over gradual N. slope, through heavy timber and dense undergrowth.

21.80 Creek, 5 lks. wide, course N. 60° E.; asc. 37 ft. over broken S. slope.

26.20 Spring branch, 1 lks. wide, course S. 80° E.

38.00 Top of ascent, brs. E. and W.; over rolling land.

40.06 Proportionate measurement.

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., with brass cap marked

$\frac{1}{4}$
S29 | S28
1939

from which

A black pine, 10 ins. diam., brs. S. 63° E., 11 lks. dist., marked $\frac{1}{4}$ S 28 B T.