

## Exterior Lines of T. 4 S., R. 30 E., W.M.

Chains		Feet
	T. 5 S., R. 30 E., S. 6 on S.E. face, T. 5 S., R. 29 E., S. 1 on S.W. Face, T. 4 S., R. 29 E., S. 36 on N.W. Face, from which, A Pine 9 ins. diam. brs. N. 62° E. 19 lks. dist. marked T. 4 S., R. 30 E., S. 31 B.T. A Pine 9 ins. diam. brs. S. 34° E. 21 lks. dist. marked T. 5 S., R. 29 E., S. 6 B.T. A Pine 8 ins. diam. brs. N. 44° W. 8 lks. dist. marked T. 4 S., R. 29 E., S. 36 B.T. A Pine 9 ins. diam. brs. S. 68° W. 32 lks. dist. marked T. 5 S., R. 29 E., S. 1 B.T.	
	Survey commenced June 8, 1882, thence I run, N. bet Secs. 31 and 36, Var. 19° E.	
7.25	A spring branch, course S.E.	
40.00	Set a basalt stone 18 x 8 x 8 ins. 12 ins. in ground for $\frac{1}{4}$ Sec. Cor. on S. slope, marked $\frac{1}{4}$ on W. from which A Pine 9 ins. diam. brs. N. 85° E. 174 lks. dist. marked $\frac{1}{4}$ S.B.T. A Pine 18 ins. diam. brs. N. 54° W. 102 lks. dist. marked $\frac{1}{4}$ S.B.T.	
80.00	Set a post 4 ft. long 4 ins. sq. 2 ft. in ground on N.E. slope in dense grove of Black Pine for Cor. to Secs. 25, 36, 30 and 31, marked with 1 notch on S. and 5 notches on N. edges., T. 4 S. S. 30 on N.E., R. 30 E., S. 31 on S.E., T. 4 S., S. 36 on S.W., R. 29 E., S. 25 on N.W., faces from which, A Fir 8 ins. diam. brs. N. 56° E. 42 lks. dist. marked T. 4 S., R. 30 E., S. 30 B.T. A Fir 8 ins. diam. brs. S. 48° E. 44 lks. dist. marked T. 4 S., R. 30 E., S. 31 B.T. A Fir 8 ins. diam. brs. S. 27° W. 13 lks. dist. marked T. 4 S., R. 29 E., S. 36 B.T. A Pine 8 ins. diam. brs. N. 45° W. 38 lks. dist. marked T. 4 S., R. 29 E., S. 25 B.T.	
	Land; surface rolling, Soil; 3rd and 2nd rate. Pine, Tamarack and Fir timber, with open glades.	
	N. bet. Secs. 25 and 30. Var. 20° 45' E.	
6.00	A brook 8 lks. wide, course S.E., descent 50 ft.	
40.00	Set a basalt stone 16 x 10 x 5 ins., 11 ins. in ground for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face from which,	