

Subdivisional Lines of T. 4 S., R. 30 E. W.M.

Chains		Feet
46.00	Enter thick timber, course N.W. and S.E.	
79.76	Intersected E. Bdy. 28 lks. N. of Cor. to Secs. 12 & 13, which is a post 4 ins. square, set firmly in the ground marked,	
	S. 7 on N.E. T. 4 S., R. 31 E. S. 18 on S.E.	
	S. 13 on S.W. & T. 4 S. R. 30 E., S. 12 on N.W.	
	from which,	
	A Tamarack 12 ins. diam. brs. N. 10° E. 14 lks. dist. marked T. 4 S., R. 31 E., S. 7 B.T.	
	A Fir 10 ins. diam. brs. S. 57 E. 54 lks. dist. marked T. 4 S., R. 31 E., S. 18 B.T.	
	A Pine 16 ins. diam. brs. S. 25° W. 50 lks. dist. marked T. 4 S., R. 30 E., S. 13 B.T.	
	A Tamarack 18 ins. diam. brs. N. 51° W. 25 lks. dist. marked T. 4 S., R. 30 E., S. 12 B.T.	
	thence I run,	
	N. 89° 48' W. on a true line bet. Secs. 12 and 13,	
	Var. 21° 00' E.	
39.88	Set a basalt stone 15 x 8 x 5 ins. 10 ins. in ground, on E. slope in open glade for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face. No trees near. Raised mound of stone alongside in lieu of pits.	
79.76	The Cor. to Secs. 11, 12, 13 and 14.	
	Land; surface undulating,	
	Soil; 3rd and 2nd rate; open Pine, Tamarack and Fir.	
	Timber with open glades.	
	June 12, 1882.	
	N. bet. Secs. 11 and 12,	
	Var. 22° 45' E.	
	Ascending,	
21.00	Top of hill, ascent about 80 ft.	
24.00	Enter thick timber, course E. and W.	
40.00	Set a post 4 ft. long 4 ins. diam. 2 ft. in ground on N. slope for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on W. face.	