Subdivisional Lines of T. 4 S. R. 30 E. W.M.

Chains		Feet
	marked T. 4 S., R. 30 E., S. 26 B.T.	
	A Pine 20 ins. diam. brs. S. 50° E. 38 lks. dist. marked T. 4 S., R. 30 E. S. 35 B.T.	
	A Fir 20 ins. diam. brs. S. 66° W. 54 lks. dist. marked T. 4 S., R. 30 E., S. 34 B.T.	
	A Pine 10 ins. diam. brs. N. 14° W. 41 lks. dist. marked T. 4 S., R. 30 E., S. 27 B.T.	
	Land; surface undulating,	
	Soil; 2nd and 3rd rate; scattering Pine, Tamarack and Fir timber with open glades.	
	E. on a random line bet. Secs. 26 and 35. Var. 17° 30' E.	
	Undulating,	
40.00	Set temporary ¼ Sec. Cor.	
80.26	Intersected N. and S. line 36 lks. S. of Cor. to Secs. 25, 26, 35 and 36 from which Cor. I run,	
	S. 89° 45' W. on a true line bet. Sec. 26 and 35, Var. 19° 00' E.	
40.13	Set a basalt stone 18 x 7 x 6 ins., 12 ins. in ground, on flat in swale for ¼ Sec. Cor., marked ¼ on N. face.	
	A Pine 14 ins. diam. brs. N. 30° W. 30 lks. dist. marked ¼ S.B.T.	
	A Pine 8 ins. diam. brs. S. 68° E. 48 lks. dist. marked ¼ S. B.T.	
80.26	The Cor. to Secs. 26, 27, 34 and 35.	
	Land; surface undulating,	
	Soil; 2nd and 3rd rate, scattering Pine, Tamarack and Fir. Timber with open glades. Good grass.	
	N. bet. Secs. 26 and 27, Var. 17° 30' E.	
	Undulating,	
40.00	Set a basalt stone 18 x 8 x 7 ins., 12 ins. in ground in large open glade for ¼ Sec. Cor., marked ¼ on W. face.	