

## Subdivisional Lines of T. 4 S., R. 30 E., W. M.

Chains		Feet
	E. on a random Line bet. Secs. 17 and 20. Var. 19° 30' E.	
7.50	Top of bluff, ascent about 120 ft.	
40.00	Set temp. $\frac{1}{4}$ Sec. Cor.	
44.00	Wagon road course, N.W. and S.E.	
72.00	A spring branch, course N.E. Descent about 200 ft.	
79.74	Intersected N. and S. lines, 28 lks. S. of Cor. to Secs. 16, 17, 20 and 21. Thence I run, S. 89° 48' W. on a true line bet. Secs. 17 and 20, Var. 23° 00' E.	
39.87	Set a basalt stone 14 x 8 x 6 ins. 10 ins. in ground on E. slope for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face. A Pine 14 ins. diam. brs. N. 22° E. 20 lks. dist. marked $\frac{1}{4}$ S. B.T. A Pine 36 ins. diam. brs. S. 88° W. 43 lks. dist. marked $\frac{1}{4}$ S.B.T.	
79.74	The Cor. to Secs. 17, 18, 19 and 20. Land; surface rolling, Soil; 3rd and 2nd rate, Pine, Tamarack and Fir timber with open glades.	
	W. on a random line bet. Secs. 18 and 19. Var. 19° 30' E.	
	Descending,	
40.00	Set temp. $\frac{1}{4}$ Sec. cor.	
57.50	A brook 4 lks. wide, course N. Descent about 300 ft.	
78.76	Ascent 100 ft., intersected W. Bdy 92 lks. S. of Cor. to Secs. 18 and 19, which is a basalt stone 14 x 10 x 5 ins., marked with 3 notches on N. and S. edges. A Pine 30 ins. diam. brs. N. 45' E. 47 lks. dist. marked T. 4 S., R. 30 E., S. 18° B.T. A Tamarack 9 ins. diam. brs. S. 12° E. 40 lks. dist. marked T. 4 S., R. 30 E., S. 19 B.T.	