

Subdivisional Lines, T.4 S.,R.33 E.,W. M.

Chains

- 79.68 Intersected N. Bdy., 48 lks. W. of Cor. to Secs. 3 & 4.
 Thence I run
 S.00°21'W. on true line bet. Secs. 3 & 4.
 Var.19°30'E.
- 39.68 Set basalt stone, 16 x 10 x 7 ins., 11 ins. in ground, for
 $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. side, from which
 A pine, 6 ins. diam., brs. N.16°E., 59 lks. dist.,
 marked $\frac{1}{4}$ S., B.T.
 A tamarack, 18 ins. diam., brs. S.48°W., 53 lks. dist.,
 marked $\frac{1}{4}$ S., B.T.
- 79.68 The Cor. to Secs. 3, 4, 9 & 10.
 Land; surface undulating.
 Soil; 2nd & 3rd rate.
 Pine, tamarack & fir timber, with dense groves of young
 pine.
 Sept. 17, 1881
-
- N. bet. Secs. 32 & 33.
 Var.20°15'E.
- 7.00 Foot of bluff, courses E. & W., creek bottom.
- 9.00 Camas Creek, 25 lks. wide, course W. Creek is about 125
 ft. below Cor.
- 11.50 Leave bottom, began ascent E. & W.
- 28.00 On irregular hill, ascent 150 ft.
- 40.00 Set basalt stone, 20 x 10 x 8 ins., 15 ins. in ground, for
 $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. side.
 A pine, 44 ins. diam., brs. S.12°E., 56 lks. dist.,
 marked $\frac{1}{4}$ S., B.T.
 A pine, 10 ins. diam., brs. N.74°W., 47 lks. dist.,
 marked $\frac{1}{4}$ S., B.T.
- 80.00 Set basalt stone, 16 x 10 x 8 ins., 11 ins. in ground, for
 Cor. to Secs. 28, 29, 32 & 33, marked with 1 notch on
 S. and 4 notches on E. edges, from which
 A pine, 7 ins. diam., brs. N.67°E., 33 lks. dist.,
 marked T.4 S., R.33 E., S.28, B.T.