

## Subdivisional Lines, T.4 S., R.33 E., W.M.

Chains.	A pine, 7 ins. diam., brs. N.57°W., 45 lks. dist., marked $\frac{1}{4}$ S., B.T.
68.00	Enter large open glade.
75.00	Enter timber.
80.00	Set basalt stone, 16 x 8 x 5 ins., 11 ins. in ground, for Cor. to Secs. 20, 21, 28 & 29, marked with 2 notches on S. and 4 notches on E. edges, from which A pine, 28 ins. diam., brs. N.54°E., 79 lks. dist., marked T.4 S., R.33 E., S.21, B.T. A pine, 10 ins. diam., brs. S.44°E., 26 lks. dist., marked T.4 S., R.33 E., S.28, B.T. A pine, 16 ins. diam., brs. S.8°W., 68 lks. dist., marked T.4 S., R.33 E., S.29, B.T. A tamarack, 10 ins. diam., brs. N.42°W., 82 lks. dist., marked T.4 S., R.33 E., S.20, B.T.
	Land; surface rolling and part broken.
	Soil; 2nd & 3rd rate.
	Heavy pine, tamarack & fir timber, with open glades.
	E. on random line bet. Secs. 21 & 28. Var. 19°45'E.
14.50	On level, ascent 50 ft.
40.00	Set temp. $\frac{1}{2}$ Sec. Cor.
79.32	Intersected N. & S. line, 32 lks. S. of Cor. to Secs. 21, 22, 27 & 28. Thence I run S.89°46'W. on true line bet. Secs. 21 & 28. Var. 20°45'E.
39.66	Set basalt stone, 18 x 12 x 4 ins., 12 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. side. A pine, 8 ins. diam., brs. N.16°W., 128 lks. dist., marked $\frac{1}{4}$ S., B.T. A pine, 11 ins. diam., brs. S.7°W., 100 lks. dist., marked $\frac{1}{4}$ S., B.T.
79.32	The Cor. to Secs. 20, 21, 28 & 29. Land; surface undulating. Soil; 2nd & 3rd rate. Pine, tamarack & fir timber, much open. Sept. 19, 1881.