

Subdivisional Lines, T.4 S., R.33 E., W. M.

Chains	
80.22	<p>Intersected N. Bdy.; 68 lks. W. of Cor. to Secs. 4, & 5 Thence I run S.00°29'W. on true line bet. Secs. 4 & 5. Var.19°00'E.</p>
40.22	<p>Set basalt stone, 16 x 10 x 5 ins., 11 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. side, from which A pine, 10 ins. diam., brs. N.70°E., 72 lks. dist., marked $\frac{1}{4}$ S., B.T. A pine, 10 ins. diam., brs. W., 54 lks. dist., marked $\frac{1}{4}$ S., B.T.</p>
80.22	<p>The Cor. to Secs. 4, 5, 8 & 9. Land; surface undulating. Soil; 2nd & 3rd rate. Mostly heavy pine, tamarack & fir timber, Young timber underbrush, some open glades. Sept. 21, 1881.</p>
	<p>N. bet. Secs. 31 & 32. Var.20°15'E. Gradually ascending.</p>
32.00	<p>On ridge, course N. 15°W. & S.15°E.; elevation 80 ft. above Cor.</p>
40.00	<p>Set basalt stone, 14 x 12 x 5 ins., 10 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. side A pine, 8 ins. diam., brs. N.8° E., 18 lks. dist., marked $\frac{1}{4}$ S., B.T. A pine, 10 ins. diam., brs. S.68°W., 48 lks. dist., marked $\frac{1}{4}$ S., B.T. descending N.W. side of ridge.</p>
80.00	<p>A point, 200 ft. below top of ridge. Set basalt stone, 17 x 12 x 6 ins., 12 ins. in ground, for Cor. to Secs. 29, 30, 31 & 32, marked with 1 notch on S. and 5 notches on E. edges, from which A tamarack, 8 ins. diam., brs. N.8°E., 30 lks. dist., marked T.4 S., R.33 E., S.29, B.T.</p>