

Resurvey E. Bdy., T 5 N R 38 E W M.

Chains	<p>40.00 Set basalt stone, 20 x 14 x 8 ins., 15 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face; from which</p> <p>A fir, 38 ins. diam., brs. S.60°E., 8 lks. dist., marked $\frac{1}{4}$ S 6 B T.</p> <p>A fir, 24 ins. diam., brs. N.55°W., 26 lks. dist., marked $\frac{1}{4}$ S 1 B T.</p> <p>From this Cor., the old $\frac{1}{4}$ Sec. Cor., an alder post, brs. N., 3 chs., 22 lks. dist.; I destroy all traces of the old Cor.</p>
44.22	Foot; N. Fork of Walla Walla River, 10 lks. wide, runs W.
57.62	Branch, 6 lks. wide, runs S.W.; Ascend; hill brs. N.E. & S.W.
80.22	Top of rise on divide bet. Mill Creek and Walla Walla River; with trail on ridge, brs. E. & W.; descend into Mill Creek basin.
93.47	A point, about level with last Sec. Cor. and the Closing Cor. of T 5 N Rs. 38 & 39 E., a post, 4 ins. sq., 30 ins. above ground, marked & witnessed as described by the Surveyor-General.
	<p>Land; mountainous.</p> <p>Soil; gravelly & stony; 3rd & 4th rates.</p> <p>Timber; pine, fir, tamarack, spruce and hemlock.</p> <p>Undergrowth; pine, fir, chaparral, spruce, hemlock, alder, huckleberry, willow, cascara and bunch grass.</p> <p>Mountainous land; 93.47 chs.</p>
	July 21, 1899.
	<p>Dependent Resurvey E. Bdy., T 5 N R 38 E W M. Executed by Otis O. Gould, U.S. Transitman, Under Special Instructions, Group 135, Dated April 11, 1929.</p>
	<p>"Reestablishment of the surveys executed by Rufus S. Moore, U.S. Deputy Surveyor, in 1882, and independently resurveyed by William E. and George R. Campbell, U.S. Deputy Surveyors in 1899."</p> <p>From the Standard Cor. of Tps. 5 N Rs. 38 & 39 E. N., retracing the line bet. Secs. 31 & 36.</p>