

Subdivisional Lines of T. 5 S., R. 30 E., W.M.

Chains		Feet
	A Pine 10 ins. diam. brs. N. 75° lks. dist. marked $\frac{1}{4}$ S.B.T.	
80.30	The Cor. to Secs. 27, 28, 33 and 34 Land; mountainous, Soil; 3rd rate. Densely covered with forests of Pine and Fir on W. 71. Chs. Thick undergrowth of Pine and Fir on W. 21.00 Chs.	
	N. bet. Secs. 27 and 28, Var. 19° E.	
	Descend abruptly	
8.00	Foot of hill	-500
9.00	Ascend hill	
25.00	Top of ridge; course S.E.	+250
	Thence ascending along face of hill, course, N.E.	
39.00	Creek, 6 lks. wide, course S.E.	
40.00	Set basalt stone 20 x 12 x 4 ins. 15 ins. in ground for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face, from which A Pine 10 ins. diam. brs. N. 30° E., 5 lks. dist. marked $\frac{1}{4}$ S.B.T. A Tamarack 10 ins. diam. brs. S. 17° W., 11 lks. dist. marked $\frac{1}{4}$ S.B.T.	
58.00	Leave dense timber and enter scattering	
60.00	Top of hill, course N. 10° W. and S.E.	
80.00	Set basalt stone 18 x 12 x 8 ins., 12 ins. in ground for Cor. to Secs. 21, 22, 27 and 28, marked with 2 notches on S. and 3 notches on E. edges; from which A Pine 30 ins. diam. brs. N. 4° E. 125 lks. dist. marked T. 5 S., R. 30 E., S. 22 B.T. A Pine 30 ins. diam. brs. N. 40° W. 151 lks. dist. marked T. 5 S., R. 30 E., S. 21 B.T. No other trees within limits, and raised mound of stone 2 ft. high, 4 $\frac{1}{2}$ ft. base alongside. Land; mountainous.	
	Soil; 3rd rate. Densely covered with forest of Pine and Tamarack on S. 58. Chs. Thick undergrowth of Pine,	