

Subdivisional Lines, T.5 S.,R.31 E.,W. M.

Chains	W. on S. Bdy. of Sec. 36. Var.17°45'E.
39.94	½ Sec. Cor.
79.96	The Cor. to Secs. 35 & 36, which shows that the compass courses and the chaining, nearly coincides. The surface on the mile, not being broken, this chaining is not a thorough test. Having run this Standard Parallel, myself, only a few weeks ago, it certainly is unnecessary to note all the witness trees.
Exterior Lines, T. 5 S.,R.31 E.,W. M. As surveyed by the same surveyor, Under the same Contract & date.	
	N. on E. Bdy. of Sec. 36. Var.17°45'E.
	Cor., a stone, 22 x 11 x 8 & post, in mound of stone and pine, 42 ins. diam., brs. N.52°E., 160 lks. dist.
40.00	Set basalt stone, 14 x 12 x 10 on N.E. slope for ¼ Sec. Cor. A pine, 14 ins. diam., brs. N.24°E., 46 lks. dist. A " 6 " " " N.67°W., 96 " "
72.50	A ravine, opens N.W.
80.00	Set basalt stone, 20 x 14 x 6, on S.W. face of bluff, for Cor. to Secs. 25, 36, 30 & 31, also post, in mound of stone. No trees near. Land; surface undulating and rolling. Soil; 2nd & 3rd rate. Some scattering groves of pine & fir timber. Good grass. A small part good farming land.
	N. on E. Bdy. of Sec. 25. Var.20°15'E.
31.00	Enter heavy timber, N.E. & S.W.
40.00	Set fir post on N. slope for ¼ Sec. Cor., from which A fir, 8 ins. diam., brs. N.60°E., 39 lks. dist. A fir, 18 ins. diam., brs. N.54°W., 59 lks. dist.