

Subdivisional Lines, T.5 S., R.31 E., W. M.

Chains									
	<p>grazing.</p> <p>Greater part of Sec. 4 is good farming land.</p> <p style="text-align: right;">Oct. 12, 1880.</p>								
	<p>N. bet. Secs. 31 & 32.</p> <p style="text-align: right;">Var. 20°30'E.</p>								
40.00	<p>Set basalt stone, 18 x 8 x 5, on slight S.E. slope, for $\frac{1}{4}$ Sec. Cor.</p> <p style="padding-left: 40px;">A pine, 8 ins. diam., brs. S.56°E., 38 lks. dist.</p> <p style="padding-left: 40px;">A pine, 22 ins. diam., brs. S.85°W., 53 lks. dist.</p>								
80.00	<p>Set basalt stone, 17 x 12 x 8, on slight S.E. slope, for Cor. to Secs. 29, 30, 31 & 32.</p> <p style="padding-left: 40px;">A pine, 44 ins. diam., brs. N.40°E., 119 lks. dist.</p> <p style="padding-left: 40px;">A pine, 20 ins. diam., brs. S.9°E., 77 lks. dist.</p> <p style="padding-left: 40px;">A pine, 14 ins. diam., brs. S.88°W., 80 lks. dist.</p> <p style="padding-left: 40px;">A pine, 16 ins. diam., brs. N.15°W., 82 lks. dist.</p> <p>Land; surface rolling.</p> <p>Soil; 2nd rate.</p> <p>Heavy pine, tamarack & fir timber, with some open glades.</p> <p>Some grass. Some good farming land.</p>								
	<p>E. on random line bet. Secs. 29 & 32.</p> <p style="text-align: right;">Var. 18°45'E.</p>								
40.00	<p>Set post for temp. $\frac{1}{4}$ Sec. Cor.</p>								
80.90	<p>Intersected N. & S. line, 22 lks. S. of Cor. to Secs. 28, 29, 32 & 33, from which Cor., I run S.89°50'W. on true line bet. Secs. 29 & 33.</p> <p style="text-align: right;">Var. 16°15'E.</p>								
3.50	<p>To precipitous gulch. I set flag and proceed to nearest practicable point on W. side, on line and measure a base N., 600 lks., giving an angle of 16°, then</p> <table style="margin-left: 40px; border: none;"> <tr> <td style="padding-right: 20px;">Sin.</td> <td style="padding-right: 20px;">Co. Sin.</td> <td style="padding-right: 20px;">Lks.</td> <td style="padding-right: 20px;">Lks.</td> </tr> <tr> <td>.2756 :</td> <td>9613 ::</td> <td>600 :</td> <td>20.96</td> </tr> </table>	Sin.	Co. Sin.	Lks.	Lks.	.2756 :	9613 ::	600 :	20.96
Sin.	Co. Sin.	Lks.	Lks.						
.2756 :	9613 ::	600 :	20.96						
24.46	<p>To base for triangulation.</p>								
40.45	<p>Set basalt stone, 20 x 10 x 7, on steep S.E. slope for $\frac{1}{4}$ Sec. Cor.</p>								