

Subdivisional Lines, T.5 S., R.33 E., W. M.

Chains	
40.00	Set temp. $\frac{1}{4}$ Sec. Cor.
42.50	Road, course N.W. & S.E. to hot sulphur springs.
76.50	Camas Creek, 30 lks. wide, course W. Descent about 100 ft.
79.84	Intersected N. Bdy., 38 lks. W. of Cor. to Secs. 1 & 2, which is a stone, projecting about 7 ins. above ground A pine, 20 ins. diam., brs. N.52°E., 160 lks. dist., marked T.4 S., R.33 E., S.36, B.T. A pine, 44 ins. diam., brs. S.46°E., 126 lks. dist., marked T.5 S., R.33 E., S.1, B.T. A pine, 30 ins. diam., brs. S.16°W., 27 lks. dist., marked T.5 S., R.33 E., S.2, B.T. From which Cor., I run S.00°16'W. on true line bet. Secs. 1 & 2. Var. 18°15'E.
39.84	Set basalt stone, 16 x 7 x 6 ins., 11 ins. in ground, on level, at small grove of pine trees, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face, from which A pine, 8 ins. diam., brs. S.58°E., 23 lks. dist., marked $\frac{1}{4}$ S., B.T. A pine, 7 ins. diam., brs. N.51°W., 33 lks. dist., marked $\frac{1}{4}$ S., B.T.
79.84	The Cor. to Secs. 12, 11, 2 & 1. Land; surface level & undulating. Soil; 1st & 2nd rate. Some scattering pine timber; good natural meadow on N. 60 chs. Good farming land. James Lehman's improvement is on N.E. $\frac{1}{4}$ of Sec. 12, but cannot be seen from the line. May 30, 1882.
	N. bet. Secs. 34 & 35. Var. 19°15'E. The Cor. to this line is a post on N. slope, from which A tamarack, 18 ins. diam., brs. N.28°E., 42 lks. dist., marked T.5 S., R.33 E., S.35, S.C., B.T. A tamarack, 10 ins. diam., brs. N.46°W., 51 lks. dist.,