

## Exterior Lines of T. 6 S., R. 29 E., W.M.

Chains		Feet
	Soil; 2nd and 3rd rate. Heavy fir and pine timber.	
	<hr/>	
	N. on E. Bdy. of Sec. 24	
		Var. 19° E.
9.50	Brook, 4 lks wide, runs. S.E.	
	Ascend hill, from brook N.W.	
34.00	Top of hill, brs. E. and W.	
40.00	Set a baslat stone, 16 x 8 x 6 in mound of stone for $\frac{1}{4}$ Sec. Cor.	
80.00	Set a post for Cor. to Secs. 13, 18, 19 & 24, from which A Pine, 15 ins. in diam. brs. N. 31° W., 111 lks. dist. A Pine, 30 ins. in diam. brs. S. 50° W., 34 lks. dist. A Fir, 24 ins. in diam. brs. S. 81° E., 53 lks. dist. A Pine, 18 ins. in diam. brs. N. 41° E. 113 lks. dist. Land; S. 34 Chs. hilly, N 46 Chs. gently rolling Soil; 2nd and 3rd rate. Heavy pine and fir on N. 24 Chs., scattering on remainder.	
	<hr/>	
	N. on E. Bdy. of Sec. 13.	
		Var. 21° 30' E.
1.00	Descend, hill N.W. and S.E.	
11.00	Creek, 10 lks. wide, runs. S.E.	
25.00	Top of hill, brs. N.W. and S.E.	
40.00	Set a post for $\frac{1}{4}$ Sec. Cor., from which A Pine, 20 ins. diam. brs. N. 79° W., 56 lks. dist. A Pine, 28 ins. diam. brs. E., 23 lks. dist.	
80.00	Set a post for Cor. to Secs. 7, 12, 13 & 18, from which, A Tamarack, 20 ins. in diam. brs. N. 66° W. 13 lks. A Tamarack, 15 ins. in diam. brs. S. 77° E., 64 lks. A Pine, 12 ins. in diam. brs. S. 28° W., 3 lks. dist. A Pine, 8 ins. in diam. brs. N. 59° E., 32 lks. dist. Land; rolling Soil; good 2nd rate. Heavy pine, fir and tamarack timber, undergrowth of young	