

Subdivisional Lines of T. 6 S., R. 30 E., W.M.

Chains		Feet
39.90	Set a basalt stone, 16 x 10 x 5, in a mound of stone for $\frac{1}{4}$ Sec. Cor., from which A Pine, 6 ins. in diam. brs. N., 14 lks. dist.	
79.80	To Cor. to Secs. 3, 4, 9 & 10. Land; gently rolling Soil; 2nd rate. Heavy pine and fir timber. Good grass.	
N. bet. Secs. 3 & 4 Var. 19° 30' E.		
40.00	Set a pine post for $\frac{1}{4}$ Sec. Cor., from which A Pine, 10 ins. in diam. brs. S. 72° E., 23 lks. dist. A Pine, 20 ins. in diam. brs. N 86° W., 31 lks. dist.	
79.54	Intersect 1st Standard Parallel, 8.70 Chs. E. of Cor. to Secs. 32 & 33, when I, set a basalt stone, 18 x 10 x 6 in a mound of stone for C.C. & Secs. 3 & 4. Land; gently rolling Soil; good 2nd rate; heavy pine timber. June 22, 1881	
N. bet. Sec. 32 and 33 Var. 18° E.		
40.00	Set a basalt stone, 15 x 15 x 4, in a mound of stone for $\frac{1}{4}$ Sec. Cor.	
80.00	Set a basalt stone, 18 x 10 x 10 in a mound of stone for Cor. to Secs. 28, 29, 32 & 33. Land; hilly Soil; 3rd rate. Scattering pine and juniper timber.	
E. on a random line bet. Secs. 28 & 33		
40.00	Set a temp. $\frac{1}{4}$ Sec. Cor.	
79.30	Intersect N. and S. line, 14 lks. S. of Cor. to Secs. 27, 28, 33 & 34, from which Cor. I run S. 89° 54' W. on a true line bet. Secs. 28 & 33	