

Exterior Bdy. of T. 7 S., R. 31 E., W.M.
 As surveyed by Henry Meldrom, U.S. Deputy Surveyor,
 Under Contract No. 380.
 Dated March 19, 1881.

Chains		Feet
	<p>W. on a random line on N. Bdy. of Secs. 1, 2, 3, 4, 5 & 6. At 5 M., 77 Chs., 50 lks., I intersected 294 lks. N. of Cor. to Tps. 6 & 7 S., R. 30 and 31 E., from which Cor. I run, N. 89° 39' E. on a true line on N. Bdy. Sec. 6. Var. 23° 10' E.</p>	
5.50	Descend hill, brs. N. and S.	
37.50	<p>Set a fir post for $\frac{1}{2}$ Sec. Cor. A Pine, 10 ins. in diam. brs. N. 38° W., 45 lks. dist. A Pine, 24 ins. in diam. brs. S. 40° W., 42 lks. dist.</p>	
45.00	Creek, 3 lks. wide, runs, N.E.	
77.50	<p>Set a pine post for Cor. to Secs. 5, 6, 31 & 32, from which A Fir, 7 ins. in diam. brs. N. 31° E., 50 lks. dist. A Fir, 16 ins. in diam. brs. N. 17° W., 21 lks. dist. A Fir, 16 ins. in diam. brs. S. 67° W., 32 lks. dist. A Fir, 30 ins. in diam. brs. S. 45° E. 40 lks. dist.</p> <p>Land; hilly, Soil; 2nd rate. Heavy fir and pine timber. Occasional dense growth of mountain laural and small pine.</p> <hr/> <p>N. 89° 39' E. on a true line on N. Bdy. of Sec. 5. Var. 21° E.</p>	
.75	Creek, 8 lks. wide, runs N.	
	Foot of hill	
1.00	Ascend hill, brs. N. and S.	
25.25	Top of ridge, brs. N. and S.	
37.50	Ravine, course N.	
40.00	Set a basalt stone, 18 x 8 x 8 in a mound of stone for $\frac{1}{2}$ Sec. Cor.	
55.50	Ravine, course N.W.	
70.00	Top of ridge, brs. N. and S.	
80.00	Set a basalt stone, 18 x 9 x 7, in a mound of stone for Cor. to Secs. 4, 5, 32 & 33.	
	Land; hilly	
	Soil; 2nd rate.	