

## Subdivisional Lines of T. 6 S., R. 31 E., W.M.

Chains		Feet
	Ascend hill, from creek, brs. E. and W.	
80.00	Set a basalt stone, 18 x 16 x 8, and made mound for Cor. to Secs. 9, 10, 15 & 16, from which A Y. Pine, 44 ins. diam. brs. N. 85° W., 72 lks. dist. Land; S. 49.60 Chs. rolling, remainder hillside. Soil; 2nd rate. Heavy pine, fir timber on S. 49 Chs. Scattering pine on remainder. Undergrowth young pine, fir, and mountain laural.	
	<hr/>	
	E. on a random line bet. 10 & 15	
40.00	Set a temp. $\frac{1}{4}$ Sec. Cor.	
80.15	Intersect N. and S. line, 165 lks. S. of Cor. to Secs. 10, 11, 14, 15, from which Cor. I run S. 88° 49' W. on a true line bet. Secs. 10 & 15	
7.65	Ravine, course N.W.	
28.10	Camas Creek, runs. S. 75 lks. wide. Foot of hill, from creek, brs. N. and S.	
29.65	Leave creek bottom, brs. N. and S.	
40.07	Set a basalt stone, 13 x 7 x 8, and made mound of stone	
68.70	Ravine, course N.	
80.15	To Cor. to Secs. 9, 10, 15 & 16 Land; hilly Soil; 2nd rate. Heavy pine and fir on W. 10 Chs. Scattering pine and fir on remainder. Undergrowth of young Pine and greasewood.	
	<hr/>	
	N. bet. Secs. 9 & 10 Var. 20° E.	
9.00	Top of ridge, brs. N.W. and S.E.	
20.00	Ravine, course S.E.	
29.00	Top of ridge, brs. N.W. and S.E.	
40.00	Set a fir post for $\frac{1}{4}$ Sec. Cor., from which A Tamarack, 24 ins. diam. brs. N. 38° W., 37 lks. dist. A " 24 " " " S. 66° E., 26 " "	
72.50	Camas Creek, 150 lks. wide, runs. S.E.	